

group: Skrunch Nylon

date: 11/21/2011


style name: SN.speedy.005

page 1 of 7

season: FALL 2012

date revised:

round: 1

**L . A . M . B .****BASIC MEASUREMENTS** (in centimeters)

|                           |         |
|---------------------------|---------|
| <b>HEIGHT</b>             | 19 cm   |
| <b>WIDTH AT BOTTOM</b>    | 29 cm   |
| <b>WIDTH AT CENTER</b>    | 35 cm   |
| <b>DEPTH</b>              | 16.5 cm |
| <b>HANDLE DROP</b>        | 16 cm   |
| <b>SPREAD</b>             | 12 cm   |
| <b>TOTAL STRAP LENGTH</b> | 120 cm  |

**A4 CAPACITY** **YES** **NO****NOTES**

Body is made from nylon gathered 2:1 at the seam where indicated. some seams have cord covered with gathered nylon as piping.

**LOGO AND PLACEMENT**

on Quick Link LOGO  
zipper pull

**HARDWARE**

all hardware gunmetal  
finish

6 x 2.5 cm sq. Ring  
2 x 2.5 cm sq. Slider  
1 x Quick Link LOGO

**ZIPPERS**

- #5 metal  
gunmetal finish  
  
- #3 nylon-  
slider

|               | body  | trim                      |
|---------------|-------|---------------------------|
| FABRICATION   | Nylon | Nylon webbing<br>DTM body |
| THREAD: GAUGE | T 69  | T 69                      |
| EDGE STAIN    | n/a   | n/a                       |

group: Skrunch Nylon

date: 11/21/2011

style name: SN.speedy.005


page 2 of 7

season: FALL 2012


date revised:

round: 1

FRONT VIEW



BACK VIEW



seam construction detail:  
gather nylon into seams, gather ratio 2:1

for corded seams: create piping using gathered  
nylon wrapped around .75 cm cord

group: Skrunch Nylon

date: 11/21/2011

style name: SN.speedy.005


page 3 of 7

season: FALL 2012


date revised:

round: 1



SIDE VIEW without shoulder strap



BOTTOM VIEW



TOP VIEW



group: Skrunch Nylon

date: 11/21/2011

style name: SN.speedy.005



page 4 of 7

season: FALL 2012


date revised:

round: 1

### HANDLE DETAIL



adjustable sliders.  
total max length  
of strap = 120cm



group: Skrunch Nylon

date: 11/21/2011


style name: SN.speedy.005

page 5 of 7

season: FALL 2012

date revised:

round: 1



group: Skrunch Nylon

date: 11/21/2011

style name: SN.speedy.005



page 6 of 7




season: FALL 2012

date revised:

round: 1


# BACKING PLACEMENT



-  back with PVC
-  cord filler
-  EVA foam filler


## HARDWARE DETAIL

2.5 cm sq. Ring



wire gauge:  
~4mm

2.5 cm sq. Slider



wire gauge:  
~4mm